

Outdoor Garden Speaker GS-201



All weather resistant waterproof landscape rock shaped speaker GS-201, designed in durable fiber-glass body, built-in 70V or 100V transformer and 6.5" full range waterproof speaker driver to deliver wide frequency response 100~18KHz and reduces line losses of long distance transaction, suit different applications, i.e. parking area, playground, public park or garden. Easy installation and works tough in wet condition. The speaker is an ideal choice for indoor/outdoor industrial or commercial sound system. It is durable and practical and very competitive to satisfy wide or open area's public address and background music audio needs.

Features

- Waterproof full range speaker rated power 20 Watts;
- Input voltage 70V or 100 Volt;
- Sensitivity 96 ± 3 dB;
- Frequency Response 100~18KHz
- Easy installation and works tough in wet condition;
- Strong fiber-glass material body;
- Dimension 310x270x270mm

Specification

Model No.	GS-201
Rated Power	20W
Input Voltage	70V or 100V Line
Sensitivity	96 ± 3 dB
Frequency Response	100-18KHz
Mounting Method	On ground
Material	Fiber-glass
Dimension	310 x 270 x 270 mm

Outdoor Garden Speaker GS-201A



All weather resistant waterproof landscape rock shaped speaker GS-201A, designed in durable fiber-glass body, built-in 70V or 100V transformer and 6.5" full range waterproof speaker driver to deliver wide frequency response 100~18KHz and reduces line losses of long distance transaction, suit different applications, i.e. parking area, playground, public park or garden. Easy installation and works tough in wet condition. The speaker is an ideal choice for indoor/outdoor industrial or commercial sound system. It is durable and practical and very competitive to satisfy wide or open area's public address and background music audio needs.

Features

Waterproof full range speaker rated power 20 Watts;

Input voltage 70V or 100 Volt;

Sensitivity 96 ± 3 dB;

Frequency Response 100~18KHz

Easy installation and works tough in wet condition;

Strong fiber-glass material body;

Dimension 345x285x265mm

Specification

Model No.	GS-201A
Rated Power	20W
Input Voltage	70V or 100V Line
Sensitivity	96 ± 3 dB
Frequency Response	100-18KHz
Mounting Method	On ground
Material	Fiber-glass
Dimension	345 x 265 x 285 mm

Outdoor Garden Speaker GS-201E



All weather resistant waterproof landscape rock shaped speaker GS-201E, designed in durable fiber-glass body, built-in 70V or 100V transformer and 6.5" full range waterproof speaker driver to deliver wide frequency response 100~18KHz and reduces line losses of long distance transaction, suit different applications, i.e. parking area, playground, public park or garden. Easy installation and works tough in wet condition. The speaker is an ideal choice for indoor/outdoor industrial or commercial sound system. It is durable and practical and very competitive to satisfy wide or open area's public address and background music audio needs.

Features

- Waterproof full range speaker rated power 20 Watts;
- Input voltage 70V or 100 Volt;
- Sensitivity 96 ± 3 dB;
- Frequency Response 100~18KHz
- Easy installation and works tough in wet condition;
- Strong fiber-glass material body;
- Dimension 370x290x260mm

Specification

Model No.	GS-201E
Rated Power	20W
Input Voltage	70V or 100V Line
Sensitivity	96 ± 3 dB
Frequency Response	100-18KHz
Mounting Method	On ground
Material	Fiber-glass
Dimension	370 x 290 x 260 mm

Outdoor Garden Speaker GS-202



All weather resistant waterproof landscape rock shaped speaker GS-202, designed in durable fiber-glass body, built-in 70V or 100V transformer and 6.5" full range waterproof speaker driver to deliver wide frequency response 100~18KHz and reduces line losses of long distance transaction, suit different applications, i.e. parking area, playground, public park or garden. Easy installation and works tough in wet condition. The speaker is an ideal choice for indoor/outdoor industrial or commercial sound system. It is durable and practical and very competitive to satisfy wide or open area's public address and background music audio needs.

Features

- Waterproof full range speaker rated power 20 Watts;
- Input voltage 70V or 100 Volt;
- Sensitivity 96 ± 3 dB;
- Frequency Response 100~18KHz
- Easy installation and works tough in wet condition;
- Strong fiber-glass material body;
- Dimension 360x290x370mm

Specification

Model No.	GS-202
Rated Power	20W
Input Voltage	70V or 100V Line
Sensitivity	96 ± 3 dB
Frequency Response	100-18KHz
Mounting Method	On ground
Material	Fiber-glass
Dimension	360 x 290 x 370 mm

Outdoor Garden Speaker GS-204A



All weather resistant waterproof landscape rock shaped speaker GS-204A, designed in durable fiber-glass body, built-in 70V or 100V transformer and 6.5" full range waterproof speaker driver to deliver wide frequency response 100~18KHz and reduces line losses of long distance transaction, suit different applications, i.e. parking area, playground, public park or garden. Easy installation and works tough in wet condition. The speaker is an ideal choice for indoor/outdoor industrial or commercial sound system. It is durable and practical and very competitive to satisfy wide or open area's public address and background music audio needs.

Features

- Waterproof full range speaker rated power 20 Watts;
- Input voltage 70V or 100 Volt;
- Sensitivity 96 ± 3 dB;
- Frequency Response 100~18KHz
- Easy installation and works tough in wet condition;
- Strong fiber-glass material body;
- Dimension 450x230x320mm

Specification

Model No.	GS-204A
Rated Power	20W
Input Voltage	70V or 100V Line
Sensitivity	96 ± 3 dB
Frequency Response	100-18KHz
Mounting Method	On ground
Material	Fiber-glass
Dimension	450 x 230 x 320 mm

Outdoor Garden Speaker GS-205A



All weather resistant waterproof landscape rock shaped speaker GS-205A, designed in durable fiber-glass body, built-in 70V or 100V transformer and 6.5" full range waterproof speaker driver to deliver wide frequency response 100~18KHz and reduces line losses of long distance transaction, suit different applications, i.e. parking area, playground, public park or garden. Easy installation and works tough in wet condition. The speaker is an ideal choice for indoor/outdoor industrial or commercial sound system. It is durable and practical and very competitive to satisfy wide or open area's public address and background music audio needs.

Features

- Waterproof full range speaker rated power 20 Watts;
- Input voltage 70V or 100 Volt;
- Sensitivity 96 ± 3 dB;
- Frequency Response 100~18KHz
- Easy installation and works tough in wet condition;
- Strong fiber-glass material body;
- Dimension 480x475x315mm

Specification

Model No.	GS-205A
Rated Power	20W
Input Voltage	70V or 100V Line
Sensitivity	96 ± 3 dB
Frequency Response	100-18KHz
Mounting Method	On ground
Material	Fiber-glass
Dimension	480 x 475 x 315 mm

Outdoor Garden Speaker GS-207C



All weather resistant waterproof landscape stump shaped speaker GS-207C, designed in durable fiber-glass body, built-in 70V or 100V transformer and 4" full range waterproof speaker driver to deliver wide frequency response 100~18KHz and reduces line losses of long distance transaction, suit different applications, i.e. parking area, playground, public park or garden. Easy installation and works tough in wet condition. The speaker is an ideal choice for indoor/outdoor industrial or commercial sound system. It is durable and practical and very competitive to satisfy wide or open area's public address and background music audio needs.

Features

- Waterproof full range 4" speaker rated power 20 Watts;
- Input voltage 70V or 100 Volt;
- Sensitivity 96 ± 3 dB;
- Frequency Response 100~18KHz
- Easy installation and works tough in wet condition;
- Strong fiber-glass material body;
- Dimension 425x310mm

Specification

Model No.	GS-207C
Rated Power	20W
Input Voltage	70V or 100V Line
Sensitivity	96 ± 3 dB
Frequency Response	100-18KHz
Mounting Method	On ground
Material	Fiber-glass
Dimension	425 x 310 mm

Outdoor Garden Speaker GS-208A



All weather resistant waterproof landscape mushroom shaped speaker GS-208A, designed in durable fiber-glass body, built-in 70V or 100V transformer and 4" full range waterproof speaker driver to deliver wide frequency response 100~18KHz and reduces line losses of long distance transaction, suit different applications, i.e. parking area, playground, public park or garden. Easy installation and works tough in wet condition. The speaker is an ideal choice for indoor/outdoor industrial or commercial sound system. It is durable and practical and very competitive to satisfy wide or open area's public address and background music audio needs.

Features

- Waterproof full range 4" speaker rated power 20 Watts;
- Input voltage 70V or 100 Volt;
- Sensitivity 96 ± 3 dB;
- Frequency Response 100~18KHz
- Easy installation and works tough in wet condition;
- Strong fiber-glass material body;
- Dimension 390x450mm

Specification

Model No.	GS-208A
Rated Power	20W
Input Voltage	70V or 100V Line
Sensitivity	96 ± 3 dB
Frequency Response	100-18KHz
Mounting Method	On ground
Material	Fiber-glass
Dimension	450 x 390 mm

Outdoor Garden Speaker GS-214



All weather resistant waterproof landscape squirrel shaped speaker GS-214, designed in durable fiber-glass body, built-in 70V or 100V transformer and 6.5" full range waterproof speaker driver to deliver wide frequency response 100~18KHz and reduces line losses of long distance transaction, suit different applications, i.e. parking area, playground, public park or garden. Easy installation and works tough in wet condition. The speaker is an ideal choice for indoor/outdoor industrial or commercial sound system. It is durable and practical and very competitive to satisfy wide or open area's public address and background music audio needs.

Features

- Waterproof full range 6.5" speaker rated power 20 Watts;
- Input voltage 70V or 100 Volt;
- Sensitivity 96 ± 3 dB;
- Frequency Response 100~18KHz
- Easy installation and works tough in wet condition;
- Strong fiber-glass material body;
- Dimension 535x360x545mm

Specification

Model No.	GS-214
Rated Power	20W
Input Voltage	70V or 100V Line
Sensitivity	96 ± 3 dB
Frequency Response	100-18KHz
Mounting Method	On ground
Material	Fiber-glass
Dimension	535 x 360 x 545 mm

Outdoor Garden Speaker GS-214A



All weather resistant waterproof landscape squirrel shaped speaker GS-214A, designed in durable fiber-glass body, built-in 70V or 100V transformer and 4" full range waterproof speaker driver to deliver wide frequency response 100~18KHz and reduces line losses of long distance transaction, suit different applications, i.e. parking area, playground, public park or garden. Easy installation and works tough in wet condition. The speaker is an ideal choice for indoor/outdoor industrial or commercial sound system. It is durable and practical and very competitive to satisfy wide or open area's public address and background music audio needs.

Features

- Waterproof full range 4" speaker rated power 20 Watts;
- Input voltage 70V or 100 Volt;
- Sensitivity 96 ± 3 dB;
- Frequency Response 100~18KHz
- Easy installation and works tough in wet condition;
- Strong fiber-glass material body;
- Dimension 310x285x480mm

Specification

Model No.	GS-214A
Rated Power	20W
Input Voltage	70V or 100V Line
Sensitivity	96 ± 3 dB
Frequency Response	100-18KHz
Mounting Method	On ground
Material	Fiber-glass
Dimension	310 x 285 x 480 mm

Outdoor Garden Speaker GS-233



All weather resistant waterproof landscape bamboo shaped speaker GS-233, designed in durable fiber-glass body, built-in 70V or 100V transformer and 6.5" full range waterproof speaker driver to deliver wide frequency response 100~18KHz and reduces line losses of long distance transaction, suit different applications, i.e. parking area, playground, public park or garden. Easy installation and works tough in wet condition. The speaker is an ideal choice for indoor/outdoor industrial or commercial sound system. It is durable and practical and very competitive to satisfy wide or open area's public address and background music audio needs.

Features

- Waterproof full range 6.5" speaker rated power 20 Watts;
- Input voltage 70V or 100 Volt;
- Sensitivity 96 ± 3 dB;
- Frequency Response 100~18KHz
- Easy installation and works tough in wet condition;
- Strong fiber-glass material body;
- Dimension 500x300x480mm

Specification

Model No.	GS-233
Rated Power	20W
Input Voltage	70V or 100V Line
Sensitivity	96 ± 3 dB
Frequency Response	100-18KHz
Mounting Method	On ground
Material	Fiber-glass
Dimension	500 x 300 x 480 mm

Outdoor Garden Speaker GS-234



All weather resistant waterproof landscape garden speaker GS-234, designed in durable ABS body, built-in 70V or 100V transformer and 4" full range waterproof speaker driver to deliver wide frequency response 80~18KHz and reduces line losses of long distance transaction, suit different applications, i.e. parking area, playground, public park or garden. Easy installation and works tough in wet condition. The speaker is an ideal choice for indoor/outdoor industrial or commercial sound system. It is durable and practical and very competitive to satisfy wide or open area's public address and background music audio needs.

Features

- Waterproof full range 4" speaker rated power 20 Watts;
- Input voltage 70V or 100 Volt;
- Sensitivity 86 ± 3 dB;
- Frequency Response 80~18KHz
- Easy installation and works tough in wet condition;
- Strong ABS material body;
- Dimension ϕ 215x245mm

Specification

Model No.	GS-234
Rated Power	20W
Input Voltage	70V or 100V Line
Sensitivity	86 ± 3 dB
Frequency Response	80-18KHz
Mounting Method	On ground
Material	ABS
Dimension	ϕ 215x245mm

Outdoor Garden Speaker GS-235



All weather resistant waterproof landscape garden speaker GS-235, designed in durable ABS body, built-in 70V or 100V transformer and 6" full range waterproof speaker driver to deliver wide frequency response 70~16KHz and reduces line losses of long distance transaction, suit different applications, i.e. parking area, playground, public park or garden. Easy installation and works tough in wet condition. The speaker is an ideal choice for indoor/outdoor industrial or commercial sound system. It is durable and practical and very competitive to satisfy wide or open area's public address and background music audio needs.

Features

Waterproof full range 6" speaker rated power 20 Watts;

Omni sound spread design;

Input voltage 70V or 100 Volt;

Sensitivity 90 ± 3 dB;

Frequency Response 70~16KHz

Easy installation and works tough in wet condition;

Strong ABS material body;

Dimension 270X270x340mm

Specification

Model No.	GS-235
Rated Power	20W
Input Voltage	70V or 100V Line
Sensitivity	86 ± 3 dB
Frequency Response	80-18KHz
Mounting Method	On ground
Material	ABS
Dimension	270X270x340mm

Outdoor Garden Speaker GS-236A/GS-236B



All weather resistant waterproof landscape garden speaker GS-236, designed in durable aluminium body, built-in 70V or 100V transformer and 5" full range waterproof speaker driver to deliver wide frequency response 100~16KHz and reduces line losses of long distance transaction, suit different applications, i.e. parking area, playground, public park or garden. Easy installation and works tough in wet condition. The speaker is an ideal choice for indoor/outdoor industrial or commercial sound system. It is durable and practical and very competitive to satisfy wide or open area's public address and background music audio needs.

Features

Waterproof full range 5" speaker rated power 25 Watts;

Input voltage 70V or 100 Volt;

Sensitivity 88 ± 3 dB;

Frequency Response 100~16KHz

Easy installation and works tough in wet condition;

Strong aluminium material body;

Dimension ϕ 240x430mm (GS-236A) / ϕ 240x530mm(GS-236B)

Specification

Model No.	GS-236A	GS-236B
Rated Power	25W	
Input Voltage	70V or 100V Line	
Sensitivity	86 ± 3 dB	88 ± 3 dB
Frequency Response	110-16KHz	100-16KHz
Mounting Method	On ground	
Material	Aluminium	
Dimension	ϕ 240x430mm	ϕ 240x530mm